

# The Effects of Some Risk Factors in the Supply Chains Performance: A Case of Study

L. Avelar-Sosa<sup>\*1</sup>, J.L. García-Alcaraz<sup>2</sup> and J.P. Castrellón-Torres<sup>3</sup>

<sup>1, 2</sup> Department of Industrial Engineering and Manufacturing  
Universidad Autónoma de Ciudad Juárez (UACJ)  
Av. Del Charro 450 Norte  
Ciudad Juárez, Chihuahua, México, C.P. 32315

\*liliana.avelar@uacj.mx

<sup>3</sup> Department of Industrial Engineering and Systems  
National University of Colombia (UNAL)  
Carrera 45, No. 26-85  
Bogotá, Colombia

## ABSTRACT

This paper proposes a structural equation model to assess the effects of some risk factors in the supply chain performance. The model includes demand, suppliers and processes as risk factors of a case study in Ciudad Juárez, Chihuahua, Mexico. The model, assessed following a structural equation modeling methodology (using AMOS 16.0), indicated that the demand (considered as an independent factor) has a direct positive relationship with suppliers, politics, and manufacturing factors. As a consequence the suppliers have an effect on the flexibility factor. The flexibility has a direct positive relationship with the customer service factor. The results also indicate that the infrastructure factor does not have any relationship with the others assessed factors. The study has important implications for researches and practitioners in the manufacturing sector. It allows evaluating risk activities that have negative effects on the performance of supply chain in manufacturing exports companies in Mexico.

Keywords: supply chain, supply chain performance, supply chain management, risk.

## 1. Introduction

In today's world, supply chains will focus on mastering changing markets with requirements such as being competitive in delivering products on time, low costs, short cycle times and better quality. Plus, the ability to efficiently manage global supply chain is considered a vital source of competitive advantage.

In this paper the supply chain (SC) is defined as a network of firms connected by flows of materials, information and financial resources [1], where each firm aims to add value to the product, good or service. The supply chain has been thoroughly researched because it is a complex element that requires a periodical analysis to be successful in a global environment. In order to improve their competitiveness the companies need some operational and planning strategies, so they compete between their supply chains [2]. The manufacturing export companies in Mexico are very important for its economy. These companies

provide a platform to build highly competitive industrial products between the United States and Mexico. Mexico currently counts with 6257 manufacturing companies, 482 of which are in Chihuahua State and 326 in Ciudad Juárez. The workforce consists of 2,241,000 jobs; Chihuahua State and Ciudad Juárez respectively have 356,076 and 222,741 jobs. Regarding the foreign trade cost, Ciudad Juárez imports 22,655 million USD, and exports 43,000 million USD [3]. These companies are part of global supply chains, in which suppliers, retailers, distribution centers, information, demand, and manufacturing processes are implicated to meet up the requirements of customers. The identification of risk factors must be broad in scope to provide ideas on how the process operates through at least 3 companies [4]. That is to say, it requires identifying not only risks in their operations, but also in other companies and identify its causes. The risk in the supply chain is often interpreted as

unreliable resources and uncertain interruptions that originate it, and where the uncertainty can be explained by the interaction between the risk in suppliers and in demand within the processes. The risks are identified more widely as operational activities and process [5], converting the manufacturing activities into a key point to assess the operational risks. The activities and process outside the company diminish the capacity to identify the risks that threaten them as a whole.

Therefore, it is important to know the risk factors that affect the SC performance, find relationships between them, and design models that show their effects. The aim of this paper is to develop a structural equation model to assess the effects of some risk factors in the supply chain performance for a case of study in manufacturing export companies of Ciudad Juárez, Chihuahua, Mexico. It can be useful in the manufacturing sector to assess and improve their competitiveness.

## 2. Literature review

### 2.1 Supply chain management

The term supply chain management is defined as the integration of key business processes among a network of interdependent suppliers, manufacturers, distribution centers, and retailers in order to improve the flows of goods, services, and information from original suppliers to final customers, with the objectives of reducing system-wide cost, while maintaining required service levels [6].

### 2.2 Supply chain performance

An attribute of performance is a set of indicators that are used to express a competitive strategy [7]. The performance is the ability of the SC to offer products and services with good quality, on time and in precise amounts, while minimizing the costs [8]. According to the SC literature review, when designing models, it is important to consider the current and emerging elements, such as globalization, always with the aim to improve specific performance indicator. The evaluation of performance extends to all the companies that make up the SC chain to ensure their sustainable growth. For a company, it is necessary to know its performance measures and compare their standards with the competing chains. Organizational performance refers to how well an

organization achieves its market oriented goals as well as its financial goals, and that's why organizations adopt suitable strategies and policies for better organizational performance (customer satisfaction, innovation and learning, and financial performance).

Typically, the research work has tended to emphasize quantitative factors to measure operational competitiveness while there are few models that capture qualitative attributes [9]. A SC requires analyzing performance, using assessment techniques that include not only quantitative attributes, but also qualitative attributes. As it is the case of Abu-Suleiman et al., who considered attributes of planning, material procurement, production, distribution, and customer service [10]. Supply chain performance is measured through attributes or metrics that permit know if the strategic goals provide information and direct feedback of the processes involved in the SC. The attributes are also the basis to identify and evaluate alternatives that will help achieve decision criteria to improve the business processes [11, 12]. Performance measurement can be defined as a process of quantifying the efficiency and effectiveness of an action [12]. To measure the SC performance it is important to monitor the viability of strategies, and also identify the performance measurement method, but each implementation must be taking into account its own specific variables [14]. All participants in the supply chain should be involved and committed to common goals, such as customer satisfaction and enhanced competitiveness [13].

The organization, the suppliers and the customers should discuss how they would address the measurement and improvement of supply chain management performance.

### 2.3 Risk in processes, demand and suppliers

The risk in the SC is often interpreted as unreliable and uncertain resources creating interruption, whereas uncertainty can be explained as matching risk between supply and demand in SC processes [5]; uncertainty tends to affect the SC performance. Process risk results from the unreliability of the production process due to machine breakdowns. And demand risk is maybe the most serious risk since it arises from volatile demand or inaccurate

forecasts, like mentioned [9]. Greater risk in supply chain has a poorer result in performance's metrics such as inventory costs, lead-time, flexibility and responsiveness. Several authors have investigated the risk elements using different methodologies seeking to reduce the impact on supply chain performance. An integrated methodology has been proposed to classify, manage and assess inbound supply risk using an Analytical Hierarchy Process, defined as a multi attribute decision-making method. This enables a decision maker to visually structure a problem in an attribute hierarchy [15]. A procedure to manage the risk has also been studied [16]. Other authors have been focusing on exploring flexibility to mitigate the risk, classifying it in six interruptions: suppliers, process, demand, intellectual property, risk behavior, and political-social aspects [17]. Additionally to this, the above mentioned risk factors have been studied in many countries, being few and only descriptive investigations made in manufacturing firms in Mexico, as it is the case of Lassar et al., who have carried out a qualitative analysis on factors such as: used resources, network systems and performance criteria employed [18]. But this analysis lacks other key factors and their relationships to assess the supply chain performance [14].

### 3. Research design

#### 3.1 Instrument design and refinement

A questionnaire was designed and integrated with the attributes identified in the literature review of more than 100 papers founded on scientific databases. The initial questionnaire had 80 questions distributed in 22 dimensions. That review allowed making a rational validation. The initial questionnaire was applied to managers of logistics, and to academics for a judge's validation. Suggestions from responders were integrated in a second version, adding and removing some items. The final questionnaire was modified and adapted from Supply Chain Council 2001 [7], Soin [20] and Lin et al. [23], seeking to include the attributes or constructs according with the objectives defined. The questionnaire was divided into five different sections: data manufacturing enterprises, risk in SC, regional assessment elements for SC, best manufacturing practices, and supply chain

performance. According to the objective for this study, only the second and fifth sections were analyzed. The risk assessment consists of three dimensions and 16 items. The evaluation scale used for each answer was the perception level that participants had for each item (attributes). The questionnaire was answered in a Likert scale [21] and scores from 1 to 5 were used, as shown in Table 1.

Weighting	Scale
1	Strongly Disagree
2	Disagree
3	Neutral
4	Agree
5	Strongly Agree

Table 1. Scale used.

#### 3.2 Data collection

This work was carried out in manufacturing companies located at Ciudad Juárez, Chihuahua, Mexico from January 20th to April 12th, 2013. A sample size with 324 enterprises was selected as a source of information in the active period of data collection. Support has been requested to the Association of Maquiladoras Association Civil (AMAC) and APICS-UACJ chapter for the distribution of questionnaires to managers and engineers working in material purchasing, planning or logistics departments. Two hundred questionnaires were physically delivered and an electronic survey was also distributed, using [www.surveymonkey.com](http://www.surveymonkey.com). Friends and students from the Institute of Engineering and Technology from the Autonomous University of Ciudad Juárez who work in manufacturing companies also brought their help. Some questionnaires were delivered by hand or email to engineers and managers, clarifying the academic and confidentiality approach. The sample only included companies with supply chain and export activities (named maquiladora). This type of companies import materials without paying tariffs, and their final products are not marketed in the manufacturing country [22].

#### 3.3 Recording and data analysis

A database was designed using a SPSS 17.0® software to register and analyze the information.

The median and mode were used as central tendency measures, because the data were represented on an ordinal scale [23]. The first and third quartiles were also obtained as a position measure, and then, the inter-quartile range (IR) was calculated as a dispersion measure. High values indicate little consensus among respondents.

### 3.4 Structural equation model

Jöreskog introduced the structural equation model in the early 1970s; and this comprises a measurement model and a structural equation model. The first specifies how latent variables or hypothetical constructs depend upon or are indicated by the observed variables. The second describes the measurement properties of the observed variables. A structural equation model describes causal effects among latent variables, and assigns the explained and unexplained variance, [27, 28, 29]. The proposed model is shown in Figure 1, and focuses on the impacts of risk factors on SC performance, and includes three constructs [9, 15, 19] to explain the risk, named: suppliers, production processes, and demand; and two constructs to explain the performance, named: flexibility and customer service. Hypotheses proposed conceptual model are described below.

**Hs1.** A good performance of the suppliers allows a better supply chain flexibility.

**Hs2.** A good performance of the suppliers allows a better customer service.

**Hp1.** The control in the production processes has a positive impact on supply chain flexibility.

**Hp2.** The control in the production processes has a positive impact on customer service.

**Hd1.** A good knowledge of the demand allows greater flexibility in the supply chain.

**Hd2.** A good knowledge of the demand allows a better customer service.




Figure 1. Hypotheses of proposed model.

### 3.5 Reliability and validation

The questionnaire was prepared starting from dimensions found in studies from others countries and types of companies, and this is why some validations were done to obtain regional adequacy, according to the industrial conditions for the region under study. The first step in the survey validation process was to consider a content and rational validity using theory available of SC and specifically related to performance and methodologies used. A survey validation by judges was subsequently required to establish levels of consistency, reliability, clarity, relevance and sufficiency of the items that formed it. It is recommended that at least 7 judges should be in accordance with the points to evaluate. In this case, an assessment was done by 8 judges, experts in the field of semantics, of logistics, as well as engineers aware of SC. They provided feedback to modify and adjust the wording of items. After some modifications and adjustments to the questionnaire it was established has the final survey.

The next step consisted of a statistical validation by calculating Cronbach's Alpha Index (CAI) to determine the consistency of items. A good consistency requires that the items have correlation values close to 1; the consistency is poor if the correlation values are close to 0. When values are minor than 0.70, then the items are considered irrelevant, so they can be eliminated

[24, 25]. For considering the feasibility measure, the Kaiser-Meyer-Olkin (KMO) index and a Bartlett test were performed [26]. These methods did use the principal components analysis and the correlation matrix for factors extraction by maximum likelihood method to estimate parameters, selecting those factors with values greater than 1 in their Eigenvalue. If the Eigenvalue is minor than 1, this indicates that the variable cannot be explained by itself and should not be added and can be discarded. For a better interpretation a Varimax rotation was applied [27]. Confirmatory factor analysis was used to assess the dimensionality of the studied dimensions. The analyses were performed according to dimensions because of the sample size [27]. The factor loadings were analyzed considering the t-value with a 99% significance level; some items were removed because they included the zero in their confidence interval.

## 4. Results

### 4.1 Instrument feasibility and validity

Consistency and correlation between the items were estimated under the recommendations of Kaiser [27]. Results are shown in Table 2, most of the dimensions are within the levels of acceptance. The consistency greater than 0.8 is established as cutoff to Demand and Suppliers, is well correlated. Considering the work of Garver and Mentzer [30], the software AMOS 16.0® was used to determine significant relationships in the proposed model.

Dimensions	CAI
Suppliers	0.830
Production processes	0.690
Demand	0.846
Flexibility	0.782
Customer service	0.794

Table 2. Summary of Cronbach Alpha Index.

The results indicated that the analysis of risk factors and the items that all items are significant with factor loadings greater than 0.40 and that it could explain them. The individual items have been valuated according to the importance of each item in the construct. The items 11 and 12 were removed from the analysis because they included

the zero in their confidence interval. Simply, these items were considered as another dimension in the analysis, meaning that according to the practice in manufacturing companies the two items are part of another element of risk. In the analysis of the performance indices, the results indicating the items included are significant with factor loadings greater than 0.30.

### 4.2 Sample description

After completing the data collection process, an amount of 120 questionnaires were processed. Table 3 shows the industrial sector and gender of respondents, 79 persons were masculine and only 23 were feminine, 18 persons did not specify the sector and/or gender; 26 persons are working in the electronics sector, 25 in the medical sector, and 24 in the automotive sector.

Industrial sector	Gender		
	Feminine	Masculine	Total
Electronics	3	23	26
Medical	6	19	25
Automotive	8	16	24
Others	2	8	10
Services	1	6	7
Plastics	1	4	5
Metals	2	1	3
Packaging	0	2	2
<b>Total</b>	23	79	102

Table 3. Industrial sector/gender of respondents.

Table 4 shows years of experience and the occupation of respondents.

Job	Years					Total
	0-1	2-3	4-5	6-9	>10	
Director	0	0	0	1	1	2
Manager	0	6	3	3	5	17
Engineer	2	2	2	5	1	12
Supervisor	3	9	1	5	2	20
Specialist	2	1	0	1	0	4
Technician	6	2	7	2	6	23
Operator	1	1	2	1	0	5
Planner	2	7	7	3	4	23
<b>Total</b>	16	28	22	21	19	106

Table 4. Occupation of the respondents.

Can be observed that only 19 persons have 10 or more years of experience in their job and others 71 are in a range between 2 and 9 years. In the analysis of the job, 23 respondents work like planners and technicians, 20 like supervisors and 17 like managers; only 2 respondents work like CEO.

#### 4.3 Descriptive analysis

The descriptive analysis for SC performance is shown in Table 5, the analysis for three factors related to risk is shown in Table 6. The first column displays the dimension and its CAI, the second column shows the description of the activity or attribute and the next ones respectively show the

values for the median, percentiles and inter-quartile range. In Table 5 the median of 4.22 indicates that over 50% of the respondents agree with their suppliers information systems.

In Table 6 the median value 4.08 (marked with \*) indicates that over 50% of the respondents agree that time and cost responds of their company to the customer needs are very important. However, the value of 2.09 (marked with \*\*) indicates that the majority of respondents disagree that production processes are affected by low efficiency in telecommunications services. This means that this activity does not actually influence the risk for production processes in relation to suppliers.

Dimension	Activities	Median	Percentile		IR
			25	75	
Flexibility <b>CAI=0.787</b>	The set-up times were improved in the last 3 years.	4.20	3.44	4.81	1.37
	The labor contracts allow flexible hours.	3.92	3.16	4.64	1.48
	Employees have multi-purpose capabilities.	3.86	3.23	4.53	1.30
	It is possible to adapt my processes quickly to the demand.	3.99	3.32	4.63	1.31
	The level of inventories can be rapidly adjusted according to demand.	3.83	3.10	4.57	1.47
	Changes to product are made so agile.	3.80	3.11	4.51	1.40
Customer Service <b>CAI=0.794</b>	In general, our company had orders completed the last 3 years.	4.19	3.45	4.80	1.35
	Our company, compared to others of the same industrial sector, has the highest rate of completed orders.	3.92	3.24	4.62	1.38
	Our company responds in time and cost to the needs of our customers.	4.22*	3.53	4.80	1.27

Table 5. Descriptive analysis of performance.

Dimension	Activities	Median	Percentile		IR
			25	75	
My Suppliers <b>CAI=0.830</b>	Always deliver on time orders	3.52	2.72	4.28	1.56
	Always deliver complete and accurate orders.	3.72	2.93	4.49	1.56
	Always deliver products according to quality standards.	3.86	3.18	4.55	1.37
	Are always in touch with us to reduce failures.	3.71	2.98	4.47	1.49
	Always keep process coordinated with our company.	3.83	3.18	4.51	1.33
	Use information systems (MRP, MRP II, SAP, RFID).	4.08*	3.26	4.75	1.49
My Production Processes <b>CAI=0.739</b>	Are very affected by the lack of logistics services (customs, transport, warehouse, legal advice, safety).	3.26	2.12	4.33	2.21
	Are very affected by the low efficiency in the financial services (banks, currency exchange, insurance and funds management).	2.49	1.49	3.64	2.15
	Are very affected because of the lack of good connectivity with the destination markets.	2.67	1.68	3.65	1.97
	Are very affected by the low efficiency in telecommunications services.	2.09**	1.26	3.26	2.00
	Are reliable for stability in the policies of the Government.	3.65	2.88	4.43	1.55
	Are efficient for the application of lean manufacturing practices.	4.09	3.29	4.76	1.46
My Demand <b>CAI=0.846</b>	Is always communicated by my client in advance.	3.59	2.62	4.44	1.82
	Is transmitted by my clients through information systems in real time.	3.71	3.00	4.47	1.47
	Is visible in real time for both my company and my suppliers.	3.79	3.03	4.56	1.53
	Of finished product is very stable and does not affect the production.	3.57	2.63	4.41	1.78

Table 6. Descriptive analysis of risk factors.

#### 4.4 Confirmatory analysis

After applying a confirmatory factor analysis for the data using Principal Components, Table 7 shows the value for KMO index to assess the data adequacy for factor analysis. A value of 0.70 in KMO is preferred as an acceptable value [26, 50].

Dimension	KMO
Suppliers	0.783
Production processes	0.729
Demand	0.810
Flexibility	0.762
Customer service	0.687

Table 7. Summary of exploratory analysis.

#### 4.5 Structural equation model

With the evaluation of efficiency indices for the model, some relationships found were not significant at a confidence level of 95%, given that they included zero in their range and therefore were eliminated. The resulting models are shown in Figure 2 and Figure 3. The Figure 2 illustrates the model (1) and results of structural equation modeling estimated with AMOS 16.0®; this shows the direct effects. This model has been obtained by separating the items 11 and 12 of the dimension Processes, named Infrastructure, since in the practice these items should be in another dimension, but they cannot be removed, because they could have an impact on other indices of performance.

The infrastructure is a factor that does not have effect over these performance indices. The index to CMIN/DF was 1.535, less than 3.00 [8, 30, 31], and the root mean square error of approximation (RMSEA=0.067) was below 0.08 [30, 31]. The results indicate that with a 95% confidence level 90 questionnaires are required, as the N Hoelter Index indicates. Analyzing the outcomes, we could observe that Demand affects Suppliers and therefore has an effect on the performance indices of Flexibility and Customer service. In other words, when Demand increases in one unit; Suppliers increase in 0.68. When Suppliers increase one unit, then Flexibility increases in 0.53 units, and so on. The factor Infrastructure does not have any direct effects on the others assessed factors and

has been included only for display. Figure 3 illustrates the model (2), this model has been obtained by grouping the items 11 and 12, named Politics-Lean manufacturing, with the purpose of analyzing whether they show effects on some other performance indices.




Figure 2. Structural model of demand, suppliers and infrastructure (\*\*significant at 0.01 level).

The results model fits, supporting a good fit, because the ratio of chi-square and degree freedom has a value of 1.513 (CMIN/DF), is less than 3.00 [30, 31], and the root mean square error of approximation (RMSEA=0.066) is below 0.08 [31, 32]. The results indicate that for a 95% and 99% confidence level N Hoelter is not violating the sample size, because there was a sample size of 120 questionnaires for analysis.

The model in Figure 3 shows that when Demand increases in one unit, then the Suppliers increase in 0.70 units; but if Suppliers increase in one unit, then, Flexibility increases in 0.60 units and so on, and finally the Customer service increases in 0.72. It can be observed that when Demand increases in one unit, then the Politics-Lean manufacturing increases in 0.65 units. This effect means that the Production Processes are really affected by Demand, not by Politics-Lean manufacturing; i.e., the risk is perceived at another level. About the goodness of fit index (GFI) for this model, it is easy to see that there is an acceptable value, because it is greater than 0.80, minimum cutoff [8, 30]. comparative fit index (CFI) was also located within the acceptable values considered for small sample sizes [32].

The results relating to fit models generally support a good fit, and can be observed in Table 8. To



complement this, we discussed the indirect effects among the factors respectively shown in Table 9 and Table 10. Some relationships were not consistent according to the information gathered; however, indirect relationships that have effects on performance indices were found.




Figure 3. Structural model of demand, suppliers and politics-manufacturing (\*\* significant at 0.01 level).

Indices	Model 1	Model 2
CMIN/DF	1.535	1.513
RMR (root mean square residual)	0.073	0.073
RMSEA (root mean square error of approximation)	0.067	0.066
GFI (goodness of fit index)	0.814	0.842
AGFI (adjusted goodness of fit index)	0.771	0.795
CFI (comparative fit index)	0.898	0.919
NFI (normed fit index)	0.760	0.798
N Hoelter 95%, 99%	90, 96	95, 102

Table 8. Summary of modification indices of models.

The Table 9 shows the indirect effects for the model 1, in which it can be observed that Demand has not any indirect effect on suppliers, but has an indirect effect on Flexibility and Customer service. In Flexibility the effect has a value of 0.362 ( $0.68 \times 0.53$ ). In the Customer service the effect has a value of 0.260 ( $0.58 \times 0.53 \times 0.72$ ). Indeed, this makes sense, since demand can be seen as an independent variable because the forecasts and sales information are independent in the supply chain. Supplier has an indirect effect on Customer service with a value of 0.381 ( $0.53 \times 0.72$ ).

Factor	Demand	Supplier	Flexibility
Supplier	0.000	0.000	0.000
Flexibility	0.362	0.000	0.000
Customer service	0.260	0.381	0.000

Table 9. Indirect effects to model 1.

Table 10 shows the indirect effects for the model 2 (see Figure 3) and it can be observed that Demand has an indirect effect on Flexibility and Customer service. In the Flexibility the effect has a value of 0.420 ( $0.70 \times 0.60$ ); for the Customer service the effect has a value of 0.302 ( $0.70 \times 0.60 \times 0.72$ ). Finally the Suppliers do not have any indirect effect on Flexibility, but if has an indirect effect on Customer service with a value of 0.430 ( $0.60 \times 0.72$ ).

Factor	Demand	Suppliers	Flexibility
Suppliers	0.000	0.000	0.000
Flexibility	0.420	0.000	0.000
Customer service	0.302	0.430	0.000

Table 10. Indirect effects to model 2.

## 5. Conclusions and future work

### 5.1 Conclusions

According to data collected from respondents and their perception of risk factors analyzed (infrastructure, government policies, and practices of lean manufacturing), the factors are not considered critical for the performance of the supply chain in two of the indices evaluated. In other words, the people do not perceive much risk in these activities. Rather, they consider the communication and integration with their suppliers as critical factors, even though demand is a highly dynamic factor. The Demand is considered an independent variable and found a positive relationship with the seller performance. The integration and communication of manufacturing companies with their suppliers improving the time to adjust changes to meet the needs of customers, also thus improving the service as mentioned [33, 34, 35, 40, 41, 54]. Our model identified the activities that contribute to a greater effect on the



supply chain risk, allowing companies to take corrective actions to reduce the negative effects in supply chain performance of maquiladoras.

## 5.2 Future research

Future research should be oriented to use the questionnaire to extrapolate to other regions of Mexico, to find better answers on the current performance of supply chains in this kind of companies and present alternatives that help to improve decision making for operational and tactical organizational level. We are looking for, without doubt, a reference point in evaluating the performance of the export supply chain, in order to identify strengths and weaknesses to restructure roles and strategies with purpose improving the competitiveness of enterprises.

## Acknowledgments

The authors thank the editors for suggesting some comments that helped to improve this paper.

## References

- [1] H. Stadler, "Supply Chain Management and Advanced Planning basics, overview and challenges," *European Journal of Operational Research*, Germany, Vol.163, No. 3, pp. 575-588, 2005.
- [2] Y. Feng, "System dynamics modeling for supply chain information sharing," *Physics Procedia*, Vol. 25, pp. 1463-1469, April 1-2 2012 [International Conference on Solid State Devices and Materials Science, Macao, 2012].
- [3] Asociación de Maquiladoras A.C., Index Ciudad Juárez, (online) archive available in <http://www.indexjuarez.org/INICIO/presentaciones.html>, [consulted on April 2013].
- [4] U. Jüttner, "Supply chain risk management: Understanding the business requirements from a practitioner perspective", *International Journal of Logistics Management*, United Kingdom, Vol. 16, No.1, pp.120–141, 2005.
- [5] O. Tang, and N. Musa, "Identifying risk and research advancements in supply chain risk management", *International Journal of Production Economics*, Vol. 133, No. 1, pp. 25-34, September 2011.
- [6] D. Simchi-Levi et al., "Designing and managing the supply chain: concepts, strategies, and case studies", McGraw Hill Companies Inc., New York, 1999.
- [7] Supply Chain Council 2001, Supply Chain Operations Reference SCOR Model, archive available in [www.supplychain.org](http://www.supplychain.org), [consulted on march 2012].
- [8] K. W. Green Jr. et al., "Aligning marketing strategies throughout the supply chain to enhance performance," *Industrial Marketing Management*, IMM, Vol. 41, No. 6, pp. 1008-1018, August 2012.
- [9] R. Bhatnagar, and A. S. Sohal, "Supply chain competitiveness: measuring the impact of location factors, uncertainty and manufacturing practices", *Technovation*, Vol. 25, No. 5, pp. 443-456, 2005.
- [10] A. Abu-Suleiman et al., "A framework for an integrated supply chain, performance management system", *International Journal of Production Research*, Vol. 43, No. 15, pp. 3287–3296, 2005.
- [11] F.T.S. Chan, "Performance measurement in a supply chain", *International Journal of Advanced Manufacturing Technology*, Vol. 21, No. 7, pp. 534-548, 2003.

- [12] A. Gunasekaran and B. Kobu, "Performance measures and metrics in logistics and supply chain management: a review of recent literature (1995-2004) for research and application", *International Journal of Production Research*, Vol. 45, No. 12, pp. 2819-2840, 2007.
- [13] A. Gunasekaran et al., "A framework for supply chain performance measurement", *International Journal of Production Economics*, Vol. 87, No. 3, pp. 333-347, 2004.
- [14] M. Cedillo-Campos and C. Sánchez-Ramírez, "Dynamic Self-Assessment of Supply Chains Performance: an Emerging Market Approach", *Journal of Applied Research and Technology, JART*, Vol. 11, No. 3, pp. 338-347, 2013.
- [15] T. Wu et al., "A model for inbound supply risk analysis", *Computers and Industry*, Vol. 57, No. 6, pp. 350-365, 2006.
- [16] J. Hallikas et al., "Risk management process in supplier networks", *International Journal of Production Economics*, Vol. 90, No. 1, pp.47-58, 2004.
- [17] C. Tang, and B. Tomlin, "The power of flexibility for mitigating supply chain risks", *International Journal of Production Economics*, Vol. 116, No. 1, pp. 12-27, 2008.
- [18] W. Lassar et al., "Determinants of Strategic Risk Management in Emerging Markets Supply Chain: Case of Mexico", *Journal of Economics, Finance and Administrative Science*, Vol. 15, No. 28, pp.125-140, 2010.
- [19] Y. Su, and C. Yang, "A structural equation model for analyzing the impact of ERP on SCM", *Expert Systems with Applications*, Vol. 37, No. 1, pp. 456-469, 2010.
- [20] S. S. Soin, "Critical success factors in supply chain management at high technology companies", [Ph.D Thesis, Australia: University of Southern Queensland, 2004].
- [21] R. Likert, "A thecnique for the measurement of attitudes". *Archives of Pshicology*, Vol. 22, No. 140, pp.1-55, 1932.
- [22] Maquiladora, (online) archive available in <http://es.wikipedia.org/wiki/Maquiladora>,[consulted on May of 2013].
- [23] C. Lin et al., "A structural equation model of supply chain quality management and organizational performance", *International Journal of Productions Economics*, Vol. 96, No. 3, pp. 355-365, June 2005.
- [24] A. Nordgaard et al., "Ordinal scales of conclusions for the value of evidence", *Science and Justice*, Vol. 50, No. 1, pp. 31-31, 2010.
- [25] L. J. Cronbach, "Coefficient alpha and the internal structure of tests" *Psychometrika*, Vol.16, No.3, pp. 297-334., 1951
- [26] J. C. Nunnally and H. Bersntein, "Teoría psicossométrica", México: Mc Graw Hill interamericana de México, 1995.
- [27] H. F. Kaiser, "An indexo factorial simplicity", *Psychometric*, Vol. 39, No. 1, pp. 34-36, 1974.
- [28] K. G. Jöreskog and D. Söborm, "A general method for analysis of covariance structure", *Biometrika*, Vol. 72, No. 1, pp. 14-22, 1971.
- [29] J. Lévy Mangin and J. Varela Mallou, "Análisis multivariable para las Ciencias Sociales", Ed. in Spanish, Pearson Education, S. A., Madrid, 2003.
- [30] M. S. Garver, and J. T. Mentzer, "Logistic research methods: employing structural equation modelin to test for construct validaty", *Journal of Business Logistics*, Vol. 20, No. 1, pp. 33-57, 1999.
- [31] R. E. Shumacker and R. G. Lomax, "A Beginner's Guide to Structural Equation Modeling", Taylor & Francis Group, LLC Inc. New York, 2010.
- [32] X. A. Koufteros, "Testing a model of pull production: a paradigm for manufacturing research using structural equation modeling", *Journal of Operations Management*, Vol. 17, No. 4, pp. 467-488, June 1999.
- [33] J. R. Kroes, "Outsourcing of supply chain processes: evaluating the impact of congruence between outsourcing drivers and competitive priorities on performance", United States of America, Georgia Institute of Technology, [Ph.D Thesis], 2007.
- [34] A. Chong et al., "The relationship between supply chain factors and adoption of e-collaboration tools: an empirical examination", *International Journal of Production Economics*, Vol. 122, No. 1, pp. 150-160, November 2009.
- [35] U. Ramanathan and A. Gunasekaran, "Supply chain collaboration: Impact of success in long-term partnerships", *International Journal of Production Economics*, Vol. 147, Part B., pp. 252-259, January 2014.

- [36] A. Arun Kanda and S. G. Deshmukh, "Supply chain coordination: perspectives, empirical studies and research directions", *International Journal of Productions Economics*, Vol. 115, No. 2, pp. 316-335, October 2008.
- [37] K. DaeSoo, "Process chain: A new paradigm of collaborative commerce and synchronized supply chain", *Business Horizons*, Vol. 49, No. 5, pp. 359-367, September-October 2006.
- [38] J. V. Chen et al., "The antecedent factors on trust and commitment in supply chain relationships", *Computers Standars & Interfaces*, Vol. 33, No. 1, pp. 262-270, March 2011.
- [39] C. Teller et al., "Improving the execution of supply chain management in organizations", *International Journal of Production Economics*, Vol. 140, No. 2, pp. 713-740, 2011.
- [40] X. Lu et al., "Critical success factors of inter-organizational information systems: a case study of Cisco and Xiao Tong in China", *Information and Management*, Vol. 43, No. 3, pp. 395-408., April 2006.
- [41] C. Lu et al., "Application of structural equation modeling to evaluate the intention of shippers to use internet services in linear shipping", *European Journal of Operational Research*, Vol. 180, No. 2, pp. 845-867, July 2007.
- [42] U. Merchmann and U.W. Thonemann, "Supply chain flexibility, uncertainty and firm performance: an empirical analysis of German manufacturing firms", *International Journal of Production Economics*, Vol. 130, No.1, pp. 43-53, 2011.
- [43] P. M. Swafford et al., "The antecedents of supply chain agility of a firm: scale development and model testing", *Journal of Operations Management*, Vol. 24, No. 2, pp. 170-188, January 2006.
- [44] H. Cirtita and D. A. Glaser-Segura, "Measuring downstream supply chain performance", *Journal of Manufacturing Technology Management*, Vol. 23, No. 3, pp. 299-314, 2012.
- [45] S. Choi, "Key success factor of supply chain relationships: multiple case studies in China from buyer's and supplier's perspective", Sweden: University of Gävle [Master Thesis], 2010.
- [46] H. Falk and L. Hogström, "Key success factors for a functioning supply chain in e-commerce B2B", Sweden: Göteborg University, School of Business, Economics and Law, [Master Thesis], 2006.
- [47] J. Jeong and P. Hong, "Customer orientation and performance outcomes in supply chain management", *Journal of Enterprise Information Management*, Vol. 20, No. 5, pp. 578-594., 2007.
- [48] L. G. Papageorgiou, "Supply chain optimization for the process industries: advances and opportunities", *Computers and Chemical Engineering*, Vol. 33, No. 2, pp. 1931-1938, December 2009.
- [49] C. Ranganathan et al., "Web-enabled supply chain management: Key antecedents and performance impacts", *International Journal of Information Management*, Vol. 31, No. 6, pp. 533-545, December 2011.
- [50] R. B. Kline, "Principles and Practice of Structural Equation Modelling", The Guilford Press, New York, 1998.
- [51] M. Bogataj et al., "Efficient location of industrial activity cells in a global supply chain", *International Journal of Production Economics*, Vol. 133, No. 1, pp. 243-250, 2011.
- [52] C. Blome and T. Schoenherr, "Supply chain risk management in financial crises: a multiple case-study approach", *International Journal of Productions Economics*, Vol. 134, No. 1, pp. 43-53, November 2011.
- [53] G. Norman and D. L. Streiner, "Componentes principales y análisis de factores", en Norman, G. R. and Streiner, D. L. *Bioestadística*, Madrid: Mosby-Doyma Libros, pp. 129-142, 1996. B. M. Byrne, *Structural Equation Modeling with AMOS*, Lawrence Erlbaum Associates, Inc. New Jersey, 2001.
- [54] M.A. González-Palacios, "Advanced Engineering Platform for Industrial Development", *Journal of Applied Research and Technology*, JART, Vol. 10, No. 3, pp. 309-326, 2012.